



C-offC.

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re U.S. Patent No. 6,826,956

)

Serial No. ~~10/633,840~~ 10/663,840

Inventor: Russell Van Mathews

)

Filed: September 17, 2003

Issue Date: December 7, 2004

)

Attorney Docket No. 005216.00027

For: DIFFERENTIAL PRESSURE LEVEL CONTROL

REQUEST FOR CERTIFICATE OF CORRECTION

U.S. Patent and Trademark Office
Customer Service Window
Randolph Building, Mail Stop: Certificate of Correction Branch
401 Dulany Street
Alexandria, VA 22314

Certificate
JUL 29 2005
of Correction

Sir:

Pursuant to 35 U.S.C. § 254 and 37 C.F.R. § 1.322, this is a request for the issuance of a Certificate of Correction in the above-identified patent. Two (2) copies of PTO Form 1050 are appended. The complete Certificate of Correction involves one page.

The mistake identified in the appended Form occurred through no fault of the Applicant, as clearly disclosed by the records of the application, which matured into this patent. Enclosed for your convenience is a copy of the claim as printed from the PAIR website.

Issuance of the Certificate of Correction containing the correction is respectfully requested. Since this change is necessitated through no fault of the Applicant, no fee is believed to be associated with this request. Nonetheless, should the Patent and Trademark Office determine that a fee is required, please charge our Deposit Account No. 19-0733.

Respectfully submitted,

BANNER & WITCOFF, LTD.

Dated: July 25, 2005

1001 G Street, N.W. (11th Fl.)
Washington, D.C. 20001
(202) 824-3000

By: Anthony W. Kandare

Anthony W. Kandare
Registration No. 48,830

AUG 1 - 2005

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO.: 6,826,956
DATED: December 7, 2005
INVENTOR(S): Russell Van Mathews

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the claims, column 2, Claim 31, line 15; "The differential pressure bubbler system of claim 30, wherein the angle from the side wall is about 45 degrees, the diameter of the bubble tube is about 4 inches, and the length of the bubble tube is about 4 inches" should be replaced with- --The differential pressure bubbler system of claim 30, wherein the angle from the side wall is about 45 degrees, the diameter of the bubble tube is about 4 inches, and the length of the bubble tube is about 10 to 24 inches --.

Mailing Address of Sender:

Banner & Witcoff, Ltd.
11th Floor
1001 G Street, N.W.
Washington, DC 20001-4597


FORM PTO 1050 (Rev.2-93)

U.S. PAT. NO 6,826,956

No. of add'l copies
@ 504 per page

Ψ

AUG 1 - 2005



Notice of Allowability	Application No.	Applicant(s)	
	10/663,840	MATHEWS, RUSSELL VAN	
	Examiner	Art Unit	
	Rodney T. Frank	2856	

- The MAILING DATE of this communication appears on the cover sheet with the correspondence address-

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- ☒ This communication is responsive to the application filed 17 September 2003.
- ☒ The allowed claim(s) is/are 1-31.
- ☒ The drawings filed on 17 September 2003 are accepted by the Examiner.
- ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - ☐ All ☐ Some* ☐ None of the:
 - ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

- ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
- ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 09/17/03
- ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
- ☐ Examiner's Amendment/Comment
- ☒ Examiner's Statement of Reasons for Allowance
- ☐ Other _____

U.S. Patent and Trademark Office
PTOL-37 (Rev. 1-04)

Notice of Allowability

Part of Paper No./Mail Date 09052004

09052005

BW:005216.00027

a bubble tube attached to the side wall substantially near a bottom of the tank at an angle of about 5 degrees to about 85 degrees from the side wall;
an air supply line coupled to the bubble tube; and
a steam supply line coupled to the bubble tube.

31. The differential pressure bubbler system of claim 30, wherein the angle from the side wall is about 45 degrees, the diameter of the bubble tube is about 4 inches, and the length of the bubble tube is about 10 to 24 inches.

- 26 -

548067_1

- 2005